BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

NORTHEAST ITAWAMBA WATER ASSOC.

Public Water Supply Name

290016 + 290017

List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: 6 / 27/12
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed://
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: TTAWAMBA COUNTY Times
	Date Published: 6/27/12
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
<u>CERT</u>	<u> </u>
the for consist Depart	by certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in rm and manner identified above. I further certify that the information included in this CCR is true and correct and is tent with the water quality monitoring data provided to the public water system officials by the Mississippi State timent of Health, Bureau of Public Water Supply.
Name	Title (President, Mayor, Owher, etc.)

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

RECEIVED-WATER SUPPLY

2011 Annual Drinking Water Quality Report North East Itawamba Water Association PWS#: 0290016 & 0290017 June 2012

2012 JUL -2 AM 8: 44

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Gordo Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the North East Itawamba Water Association have received lower to moderate rankings in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact Tim Henderson at 662.660.4520. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the second Monday bi-monthly at 7:00 PM at the Salem Community Center.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000. TEST RESULTS PWS ID # 290016 Likely Source of Contamination Range of Detects or Unit MCL MCL Violation Date Level Contaminant Detected # of Samples Measure G Y/N Collected Exceeding -ment MCL/ACL/MRDL **Inorganic Contaminants** Discharge of drilling wastes; 2 .006 No Range 10. Barium N 2008* ppm discharge from metal refineries; erosion of natural deposits Corrosion of household plumbing 1.3 AL=1.3 0 14. Copper N 2009/11 .1 ppm systems; erosion of natural deposits; leaching from wood preservatives Runoff from fertilizer use; leaching 10 10 19. Nitrate (as 2011 .23 No Range ppm from septic tanks, sewage; erosion Nitrogen) of natural deposits **Disinfection By-Products** MRDL = 4Water additive used to control Chlorine 2011 .70 .51 - .97 ppm 0 microbes

PWS ID#	0290017	7		TEST RES	ULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects # of Samples Exceeding MCL/ACL/MRDI	Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (Contam	inants						
10. Barium	N	2008*	.008	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009/11	.2	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.124	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
19. Nitrate (as Nitrogen)	N	2011	.34	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Disinfection	n Bv-Pr	oducts		<u> </u>				
82. TTHM [Total trihalomethanes]	.,		2.84 N	o Range p	pb	0		By-product of drinking water chlorination.
Chlorine	N :	2011	.60 .2	29 – 1.04 p	pm	0 MR		Nater additive used to control microbes

^{*} Most recent sample. No sample required for 2011.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

Significant Deficiencies:

For both Systems: 290016 & 290017

During a sanitary survey conducted on 6/22/11, the MSDH cited the following significant deficiency: Failure to meet water supply demands (overloaded) Corrective actions: These systems are currently under a Bilateral Compliance Agreement with the MSDH to correct this deficiency by 5/31/2013.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

*****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The North East Itawamba Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2014 Annual Drinking Water Gastry Report North East Reventible Water Association FWISK 1230016 & 0230017 Jane 2012

Same 2012.

With private to improve the pay this pain? Extract Coulty track these in temporary the pay shad the walls, while and persons on defend to be extracted that is a private private at the and departable states; and improve the service of the parties of

the suspen Medicily is married and 10 PM and notice Command Section of the Section of the Command Section Section of the Section of the Section Sectio

Microtics Contempora Levil (M.C.). The Microwy Almosty (M.C.) is the lighted field of a contempora that is unamed in greating water. Mich are set to close to the M.C.Co as foreign using the cest published controls described field of a contemporar that is unamed in greating water.

Makinson Condensions Level Clast Clast (Cl. - The ThirstACLC) is this prest of a contaminated in discing water before which there is no visual or expended that to health. MCACA whee for a margin of safety

Manifeld Medical Distributors Level (MDIS) — The highest found of a distributors atomics to detaking water. There is constraing winders that addition of a distributors is necessary for confine interchal containments.

Stackness Boostool Distributions Level Dook (MRDLS) — The level of a distribing water distributions between which there is no known or implicitions to control introductions between which there is no known or implicitly to not reflect the benefit of the open of distributions to control introductions controlled control in the control in

Corominare	Wickeleys Yetz	Date Collected	Level Detected	Range of Bet # of Samp Exceede MCLACUA	sois Me ng -o	Polit BACE. desure G sept G	MC1.	Lawly Science of Confessionation
Inorganic	Contam	inants						
10 Starton	l ^N	2000	006	Res Frenge	500	1	1 2	George of other wastes decharge time metal refraires arealch of segress decrease
Coope;	ľ	2009/11	l'	0	øsen.	(3)	ALTE	Connection of horseshoot place and systems, encounted historial respectate, is such as provinced presentatives
19. Nitrata sas Vidroganji	N	2011	27	No fologe	ppm	19	115	Mustall from fertices use; teaching for a septie times, investigation of control times are
Disinfection	n By-Pr	oducts		Part of the Artistan		P	A	
Marke	Ľľ	511 T	2 J	7. 35	Ipon.	018		Visit safter may be control (SESS)

PWS ID#	029001	7		TEST RES	ILTS			
Contaminant	Violation Y/N	Date Codected	Lenel Detectors	Range of Detects • of Samples Exceeding MCL/ACL/MRDL	Measura Mensura	MCLG	MCL	Usely Source of Contamination
Inorganic	Contam	inanta						The state of the s
10. Ranipro	N	2058	.003	No Range	epro	2		Discharge of drilling waster, discharge from metal reforates, erosion of natural deposits
	B	2900:11	.2	9	pem	13	AL#1	Contain of Neusehold plumbers systems: erosion of natural deposits: feaching from wood preservatives
15. Fhoride	"	2003*	.124	No Range	ppm	4		4 Erosion of natural deposits, was additive which promotes strong teeth; discharge from finificiar and aluminum factories
19, Mitrate (as Nitragen)	"	2011	.34	Na Range	ppm	10	1	Runoff from fertilizer use: feaching from septic lanks, sewage; proson of regural deposits
Disinfectio	n By-Pr	oducts				***************************************		
t2 TENN Total rihalomothanes]	N 2	(X)8" 2	84 14	o Range ps	1	0	80	By product of densing water shipferation.
Obtaine	N Z	311	0 2	9-101 pp	7	O MRE		Mater additive used to control

As you can see the second in second in a contract of the contr

We are required to monitor your devising water for specific constitutes on a monthly backs. Resists of regular monitoring are an indicator of whether or, not our deminder ander meets health standards in an elegificit in enterin systems complete all incredibling following indicators, shall be indicated a physical and on the history of the constitutions and the product of the constitutions of the constitutions and the standard of the history of the constitutions are single-

Significant Deficiencies:
For both Springers: 20016 2 20017
For both Springers: 20017
For both Springe

bond to del Charriery Water Brown 1809-180, 439.

""" A MESSIGN FROM MICH DISCONDERS FROM MICH CONCORDERS FROM MICH CONCORD AND MICH CONCORD A

the Horst East Environce Writer Association which around the clock to provide too quality walks to every top. We ask that all our confections have us product our water sources, which are the heart of our increasely, our way of Ma and our children's future.

VED- WATER SUPPL

2012 JUL -2 AM 8: 44

PROOF OF PUBLICATION

STATE OF MISSISSIPPI COUNTY OF ITAWAMBA

Before the undersigned, a notony Public	
in and for said state and county, Chancotte wolfe	
general manager of the	

ITA	AWAMBA COUNTY TIME	S
annual Do	a, in said county and state, unlivers wo offer of the output of the copy, output of the copy, of	2002 iti Pas
Volume () (No.	36 Date Suns	27 2012
Volume, No.	, Date	20
Volume, No.	, Date	20
Volume, No.	, Date	20
Volume, No	, Date	20
examined by me, and I fi and that the Itawamba C	^/ ~	have been duly made, lished, published and tate for more that one
and NAIS office.		General Manager
Swood Brown	ubscribed before me this the	<u>27</u> day
10 50 C	Dune	, 20 <u>/</u> 2
SANDRA NEWTON	Bandra 4	Jenton
My coromande Alan Explices April 28, 2012	x.*	, 20
A T #A 794		